## 1 Identification of the substance and manufacturer

Trade name: Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	WHITE 0000200352 Paint and coatings application. Any that differs from the recommended use. Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com
2 Hazard(s) identification Classification of the substance or m Flammable Aerosols 1 Gases under Pressure - Liquefied gas Carcinogenicity 2 Specific Target Organ Toxicity - Single Specific Target Organ Toxicity - Repea Additional information: GHS Hazard pictograms	H222 Extremely flammable aero H280 Contains gas under press H351 Suspected of causing can	sure; may explode if heated. icer. Route of exposure: Inhalation. tation.
Signal word Hazard statements Precautionary statements	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Suspected of causing cancer. Route of exposure: Inhalation. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Obtain special instructions before use. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations.	

3 Composition/info	rmation on ingr	redients	
Chemical character Chemical Description	ization: Mixtures		3
Dangerous compor			
74-98-6 propane			15-25%
64742-89-8 VM&P N	laphtha		10-15%
1317-65-3 Calcium	Carbonate		10-15%
106-97-8 n-butan	е		5-10%
13463-67-7 titanium	dioxide		1-5%
64742-47-8 Mineral	Spirits		1-5%
After inhalation: After skin contact: After eye contact: After swallowing: Most important syn effects: Indication of any im attention needed:	-	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.	
5 Fire-fighting meas	sures		
Extinguishing agen Special hazards:	ts:	CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures.	(Contd. on page 2)

Safety Data Sheet

Page 2/3

Printing date 01/04/2023		Revised On 01/04/2023
Trade name: WHITE		
		(Contd. of page 1)
Protective equipment for		(Conta. of page 1)
firefighters:	A respiratory protective device may be necessary.	
6 Accidental release measures		
Personal precautions, protective		
equipment and emergency procedures:	Use respiratory protective device against the effects of fumes/dust/aerosol.	
Methods and material for		
containment and cleaning up:	Absorb liquid components with liquid-binding material.	
7 Handling and storage		
Precautions for safe handling	Use only in well ventilated areas.	
Storage requirements:	Keep away from sources of heat and direct sunlight. Do not warehouse in s Store locked up.	ubfreezing conditions.
8 Exposure controls/personal prot	ection	
Components with limit values that r	equire monitoring at the workplace:	
74-98-6 propane	/m³ 1000 ppm	
PEL (USA) Long-term value: 1800 mg REL (USA) Long-term value: 1800 mg		
TLV (USA) see Appendix F Minimal o		
106-97-8 n-butane		
REL (USA) Long-term value: 1900 mg TLV (USA) Short-term value: 1000 pp		
(EX)		
Hygienic protection:	Wash hands after use.	
Breathing equipment:	Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or i	n large open areas. In
0 1 1	cases where short and/or long term overexposure exists, a charcoal filter resp If you suspect overexposure conditions exist, please consult an authority on c	irator should be worn.
Hand protection:	Nitrile gloves.	nemical nygeme.
Eye protection:	The glove material must be impermeable and resistant to the substance. Tightly sealed goggles	
9 Physical and chemical propertie	5	
Appearance: Odor:	Aerosol. Aromatic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range Boiling point:	Undetermined. -44 °C (-47.2 °F)	
Flash point:	-19 °C (-2.2 °F)	
Flammability (solid, gas):	Extremely flammable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion: Lower Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 1.7 Vol %	
Upper Explosion Limit:	10.9 Vol %	
Vapor pressure:	Not determined.	
Relative Density: Vapor density	Between 0.77 and 0.85 (Water equals 1.00) Not determined.	
Evaporation rate	Not applicable.	
Partition coefficient: n-octonal/wate Solubility:	Not determined.	
Viscosity:	Not determined.	
Water:	37.2 %	
10 Stability and reactivity		
10 Stability and reactivity Reactivity:	Stable at normal temperatures.	
Conditions to avoid:	Do not allow can to exceed 120 degrees Fahrenheit. Do not wareh	ouse in subfreezing
Chemical stability:	temperatures. Not fully evaluated.	
Possibility of hazardous reactions:	No dangerous reactions known. No further relevant information available.	
Incompatible materials:	INO IUITIHEI TEIEVAIIT INIOTITIALION AVAIIADIE.	(Contd. on page 3)

Safety Data Sheet

Page 3/3

Printing date 01/04/2023	Salety Data Sileet	Revised On 01/04/2023	
Trade name: WHITE			
Hazardous decomposition:	No dangerous decomposition products known.	(Contd. of page 2)	
11 Toxicological information			
LD/LC50 values that are relevant for	classification		
13463-67-7 titanium dioxide			
Oral LD50 >20,000 mg/kg (ra	it)		
Dermal LD50 >10,000 mg/kg (rl	ot)		
Inhalative LC50/4 h >6.82 mg/l (rat)			
Information on toxicological effects: Skin effects:	No data available. No irritant effect.		
Eye effects:	No irritating effect.		
Sensitization:	No sensitizing effects known.		
12 Ecological information			
12 Ecological information Aquatic toxicity:	Hazardous for water, do not empty into drains.		
Persistence and degradability:	The product is degradable after prolonged exposure to natural weathering	processes.	
Other information:	This product does not contain any chlorofluorocarbons (CFC's), hy (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, c	drochlorofluorocarbons	
	solvents.	admunit, or onlormated	
Bioaccumulative potential:	No further relevant information available. No further relevant information available.		
Mobility in soil: Other adverse effects:	No further relevant information available.		
13 Disposal considerations			
Dispose of in accordance with local, st	ate, and federal regulations. Do not puncture, incinerate, or compact. Par	tially empty cans must be	
Recommendation:	cut empty containers with electric or gas torches. Completely empty cans should be recycled.		
Recommended cleansing agent:	Water, if necessary with cleansing agents.		
14 Transport information			
UN-Number DOT	UN1950 UN1950		
DOT	Aerosols, flammable		
ADR Transport hazard class(es):	1950 Aerosols		
Class	2.1 Gases		
Special precautions for user: EMS Number:	Warning: Gases F-D,S-U		
Packaging Group: UN "Model Regulation":			
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1		
15 Regulatory information			
SARA Section 355 (extremely hazard None of the ingredients in this product a			
SARA Section 313 (Specific toxic che			
None of the ingredients is listed.	······································		
Toxic Substances Control Act			
(TSCA): Canadian Domestic Substances List	All hazardous ingredients are found on the inventory list of substances.		
(DSL):	All ingredients are listed or exempted.		
Consumer Product Safety Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than	90 ppm of lead	
California Proposition 65 chemicals			
13463-67-7 titanium dioxide			
100-41-4 ethyl benzene			
Prop 65 chemicals known to cause birth defects or reproductive harm:			
None of the ingredients is listed.			
EPA: None of the ingredients is listed.			
16 Other information			
16 Other information Contact:	Regulatory Affairs		
oontaet.			